

SPACE DIVIDER



IMAGES ARE ILLUSTRATIVE

SOLO SCREEN FREESTANDING SPACE DIVIDER

SPACE DIVIDER

SOLO SCREEN FREESTANDING SPACE DIVIDER

FABRIC WRAP FREESTANDING SCREENS = VISUAL BARRIER AND IMPROVED ACOUSTIC...

WIDTH X HEIGHT:

0600 X 1000
0600 X 1200

0800 X 1000
0800 X 1200

1200 X 1200
1200 X 1500
1200 X 1700

1360 X 1200
1360 X 1500
1360 X 1700



IMAGES ARE ILLUSTRATIVE

Brochure is not for duplication without permission. Images are copyright. VYSTAN

SOLO SCREEN FREESTANDING SPACE DIVIDER

FABRIC WRAP FREESTANDING SCREENS = VISUAL BARRIER AND IMPROVED ACOUSTIC...

SPACE DIVIDER



IMAGES ARE ILLUSTRATIVE

ZONES AND MIXING OF COLOURS

Brochure is not for duplication without permission. Images are copyright. VYSTAN

HOUSE FABRIC CAMIRA ERA



Allowance
CSE38 NEW




Memo
CSE46 NEW




Quota
CSE41 NEW



Youth
CSE39 NEW



Chapter
CSE08




Forecast
CSE11



Prompt
CSE45 NEW




Perennial
CSE12




Range
CSE42 NEW




Late
CSE43 NEW




Present
CSE13



Maturity
CSE40 NEW



Elapse
CSE44 NEW



Forward
CSE14

Composition

100% Polyester
Non metallic dyestuffs

Environment

Certified to OEKO-TEX® Standard 100

Width

140 cm minimum

Weight

320 g/m² ±5% (448 g/lin.m ±5%)

Abrasion Resistance*

Heavy duty / 10 year guarantee
Independently certified to ≥100,000
Martindale cycles

Flammability

AS 1530.3, ISO5660
EN 1021 - 1 (cigarette)
EN 1021 - 2 (match)
BS 7176 Low Hazard
EN 13501-1 Adhered Class B, s1, d0
EN 13501-1 Un-adhered Class C, s1, d0
Note: Flammability performance is dependent on components used. This range has been tested using 34-38 kg/m³ CMHR foam unless otherwise stated.

Light Fastness

5 (ISO 105 - B02)

Fastness to Rubbing

Wet: 4, Dry: 4 (ISO 105 - X12)

Cleaning

Washable to 60°C. Vacuum regularly.
Wipe clean with a damp cloth or shampoo
using proprietary upholstery shampoo.

FINISHES





HOUSE FABRIC CAMIRA ERA



Transition
CSE30 NEW



Analogue
CSE33 NEW



Notation
CSE36 NEW



Splitsecond
CSE31 NEW



Endurance
CSE34 NEW



Aeon
CSE20



Lifetime
CSE03



Period
CSE07




Rest
CSE37 NEW



Occasion
CSE32 NEW




Timelapse
CSE16




Everlasting
CSE10



Event
CSE18



Signature
CSE35 NEW



Stage
CSE15

Composition

100% Polyester
Non metallic dyestuffs

Environment

Certified to OEKO-TEX® Standard 100

Width

140 cm minimum

Weight

320 g/m² ±5% (448 g/lin.m ±5%)

Abrasion Resistance*

Heavy duty / 10 year guarantee
Independently certified to ≥100,000
Martindale cycles

Flammability

AS 1530.3, ISO5660
EN 1021 - 1 (cigarette)
EN 1021 - 2 (match)
BS 7176 Low Hazard
EN 13501-1 Adhered Class B, s1, d0
EN 13501-1 Un-adhered Class C, s1, d0
Note: Flammability performance is dependent on components used. This range has been tested using 34-38 kg/m³ CMHR foam unless otherwise stated.

Light Fastness

5 (ISO 105 - B02)

Fastness to Rubbing


Wet: 4, Dry: 4 (ISO 105 - X12)

Cleaning

Washable to 60°C. Vacuum regularly.
Wipe clean with a damp cloth or shampoo
using proprietary upholstery shampoo.



HOUSE FABRIC CAMIRA ERA



Composition

100% Polyester
Non metallic dyestuffs

Environment

Certified to OEKO-TEX® Standard 100

Width

140 cm minimum

Weight

320 g/m² ±5% (448 g/lin.m ±5%)

Abrasion Resistance*

Heavy duty / 10 year guarantee
Independently certified to ≥100,000
Martindale cycles

Flammability

AS 1530.3 , ISO5660
EN 1021 - 1 (cigarette)
EN 1021 - 2 (match)
BS 7176 Low Hazard
EN 13501-1 Adhered Class B, s1, d0
EN 13501-1 Un-adhered Class C, s1, d0
Note: Flammability performance is dependent on components used. This range has been tested using 34-38 kg/m³ CMHR foam unless otherwise stated.

Light Fastness

5 (ISO 105 - B02)

Fastness to Rubbing

Wet: 4, Dry: 4 (ISO 105 - X12)

Cleaning

Washable to 60°C. Vacuum regularly.
Wipe clean with a damp cloth or shampoo
using proprietary upholstery shampoo.

HOUSE FABRIC CASHMERE

A-SF



SF-101



SF-101



SF-106



SF-107



SF-108



SF-109



SF-110



SF-111



SF-113



SF-112

S-JA



JA153-24



JA153-30

HOUSE FABRIC CASHMERE

H-YM



YM-106



YM-105



YM-104



YM-101




YM-107



YM-102



YM-103




YM-113




YM-111



YM-115



YM-130



YM-109

Y-JD



JD-1615



JD-1617



JD-1618



JD-1623




JD-1621



JD-1629



JD-1625



JD-1630



JD-1624



JD-1636



JD-1637



JD-1639