

VX TRIO-TUB

TRIO TUB | BROCHURE

VERSATILE DESIGN | FROM BREAKOUT TO EXECUTIVE MEETING ROOMS



VX CHAIRS

VX TRIO-TUB

TRIO TUB | GREY - IN STOCK

VISITOR, RECEPTION AND BREAKOUT | FABRIC UPHOLSTERED



POWDER COAT BLACK STEEL FRAME | HIGH DENSITY RESILIENT CUSHION-FOAM

VX TRIO-TUB

TRIO TUB | GREY - IN STOCK

VISITOR, RECEPTION AND BREAKOUT | FABRIC UPHOLSTERED

SUNDAY 38 | FABRIC SUNDAY 38 [DARK GREY]

QUICK SHIP | STOCKED



POWDER COAT BLACK STEEL FRAME | HIGH DENSITY RESILIENT CUSHION-FOAM

VX CHAIRS

VX TRIO-TUB

TRIO TUB | GREY - IN STOCK

VISITOR, RECEPTION AND BREAKOUT | FABRIC UPHOLSTERED

SUNDAY 38 | FABRIC SUNDAY 39 [LIGHT GREY]

QUICK SHIP | STOCKED



POWDER COAT BLACK STEEL FRAME | HIGH DENSITY RESILIENT CUSHION-FOAM

VX CHAIRS

VX TRIO-TUB

TRIO TUB | HOUSE FABRIC - SUNDAY

HOUSE FABRICS AVAILABLE SUNDAY 39 AND SUNDAY 38 (STOCKED)

HOUSE FABRICS SUNDAY 07 | 34 | 53 | 93 | 103 | 83 | 149 | 10
AVAILABLE BY ORDER.

LONGER LEAD TIMES MAY APPLY.


ACTUAL FABRIC SAMPLES AVAILABLE FOR VIEWING PRIOR TO ORDER...



Sunday 39



Sunday 07




Sunday 34



Sunday 38



Sunday 53



Sunday 93



Sunday 103



Sunday 83



Sunday 149



Sunday 10

POWDER COAT BLACK STEEL FRAME | HIGH DENSITY RESILIENT CUSHION-FOAM

VX TRIO-TUB

TRIO TUB | HOUSE FABRIC – SILICA LEATHER

PREMIUM HOUSE FABRIC ~ LEATHER SILICA
(ADDITIONAL COST)

TEXTURE FEELS | COOL + SMOOTH + SOFT

- ✓ WATER, INK AND STAIN RESISTANT
- ✓ ANTI PERSPERATION
- ✓ ANTI YELLOWING
- ✓ ANTI-TEAR
- ✓ ANTI-BACTERIAL
- ✓ HIGH ENVIRONMENTAL PERFORMANCE
- ✓ PERFECT FOR HIGH TRAFFIC AREAS
- ✓ PERFECT FOR THE EDUCATION ENVIRONMENT
- ✓ PERFECT FOR THE HEALTH ENVIRONMENT



VX CHAIRS

VX TRIO-TUB

TRIO TUB | HOUSE FABRIC – SILICA LEATHER



HOUSE FABRIC SILICA LEATHER | COLOR COLLECTION AS SHOWN >

LONGER LEAD TIMES MAY APPLY.

ACTUAL SILICA LEATHER SAMPLES AVAILABLE FOR VIEWING PRIOR TO ORDER...



VX CHAIRS

VX TRIO-TUB

TRIO TUB | HOUSE FABRIC – SILICA LEATHER

1. STRENGTH AND PERFORMANCE :

GOOD HAND FEEL AND ELASTICITY: SOFT HAND FEEL AND EXCELLENT COMPREHENSIVE PERFORMANCE.. COOL TO TOUCH.HIGH PEEL STRENGTH, TEAR STRENGTH, TENSILE STRENGTH, BURSTING STRENGTH AND SUTURE STRENGTH.

2. RESISTANCE:

WITH EXCELLENT ACID RESISTANCE, ALKALI RESISTANCE, HYDROLYSIS RESISTANCE, SUITABLE FOR USAGE IN HOT AND HUMID ENVIRONMENT.

GOOD COLD RESISTANCE.. CAN REACH -20°C, MORE THAN 80,000 TIMES OF HIGH COLD FLEXURAL PERFORMANCE.GOOD WEAR AND SCRATCH RESISTANCE.. RESISTANCE TO YELLOWING. AND UV RESISTANT..

3. EXCELLENT ENVIRONMENTAL PERFORMANCE:

NO HEAVY METALS, AZO, POLYCYCLIC AROMATIC HYDROCARBONS, NO PFCS, LOW CONTENT OF DMF, CAN REACH LESS THAN 5PPM LIMIT REQUIREMENTS.THROUGH THE INTERNATIONAL GREEN LEAF LOGO, OEKO-TEX STANDARD 100, ISO14001 ENVIRONMENTAL MANAGEMENT SYSTEM, ISO14024 (CHINA ENVIRONMENTAL LABEL TYPE I PRODUCT) CERTIFICATION.ACCORDING TO CUSTOMER REQUIREMENTS AND CONFIRMED BY AMWAY, PRODUCTS CAN REACH REACH, ROHS, EN-71-3, DIN38407(ISO17353), EN14362(AZO), DIN53315, DIN53314(EN ISO17075), EN 2006 122 EC(PFOS), EN 2005 69EC(PAHS) AND OTHER ENVIRONMENTAL REQUIREMENTS.

4. SUPER ANTIBACTERIAL FUNCTION:

ACCORDING TO CUSTOMER REQUIREMENTS AND CONFIRMED BY AMWAY, THE PRODUCT HAS THE FUNCTION OF INHIBITING BACTERIA AND MOLD ON THE SURFACE OF THE MATERIAL, AND CAN MEET ISO22196-2011 AND ASTM G21-2009 INTERNATIONAL STANDARDS OF ANTIBACTERIAL AND MILDEW-PROOF.

SUITED FOR THE HEALTH ENVIRONMENT, THE EDUCATION ENVIRONMENT AND HEAVY USE PUBLIC SPACES..



SUPERIOR PERFORMANCE
QUOTE PROVIDED ON REQUEST

VX CHAIRS

VX TRIO-TUB

TRIO TUB | CAMIRA FABRIC - PROJECT ORDER

PROJECT FABRIC = CAMIRA / ERA

VX CHAIRS



Transition
CSX30



Analogue
CSX33



Notation
CSX36



Quota
CSX41



Occurrence
CSX23



Splitsecond
CSX31



Aeon
CSX20



Forecast
CSX11



Calendar
CSX19



Futurist
CSX01



Allowance
CSX38



Range
CSX42



Forward
CSX14

VX TRIO-TUB

TRIO TUB | CAMIRA FABRIC - PROJECT ORDER

PROJECT FABRIC = CAMIRA / ERA

UK

Composition

100% Polyester
Non metallic dyestuffs

Environment

Certified to OEKO-TEX® Standard 100

Width

170 cm minimum

Weight

320 g/m² ± 5% (448 g/lin.m ± 5%)

Abrasion Resistance*

Heavy duty / 10 year guarantee
Independently certified to ≥ 100,000
Martindale cycles

Flammability

AS 1530.3, ISO5660
EN 1021 - 1 (cigarette)
EN 1021 - 2 (match)
BS 7176 Low Hazard
EN 13501-1 Adhered Class B, s1, d0
EN 13501-1 Un-adhered Class C, s1, d0
Note: Flammability performance is dependent on components used. This range has been tested using 34-38 kg/m³ CMHR foam unless otherwise stated.

Light Fastness

5 (ISO 105 - B02)

Fastness to Rubbing

Wet: 4, Dry: 4 (ISO 105 - X12)



Cleaning

Vacuum regularly. Wipe clean with a damp cloth or shampoo using proprietary upholstery shampoo.



VX CHAIRS